




ZELLEGE

Stocking Sizes & Colors 4" x 4"



Acqua 4" x 4"



Twilight 4" x 4"



Perlato 4" x 4"



Carbon 4" x 4"



Puro Blanco 4" x 4"



Natural 4" x 4"



Sage 4" x 4"



Camel Back 4" x 4"



Turquesa 4" x 4"



Cielo 4" x 4"

4" x 8"



Acqua 4" x 8"



Perlato 4" x 8"



Puro Blanco 4" x 8"



Sage 4" x 8"



Turquesa 4" x 8"

2" x 6"



Acqua 2" x 6"



Perlato 2" x 6"



Puro Blanco 2" x 6"



Sage 2" x 6"




Natural 2" x 6"

4x4 Sold in full box quantity at 11.11
SF per box (100 pieces)

4x8 Sold in full box quantity at 8.4444
SF per box (38 pieces)


2x6 is Sold in full box quantity at 11.0833
SF per box (133 pieces)



Esmeralda 4" x 4"



Honey 4" x 4"



Olive 4" x 4"



Rosa 4" x 4"



Camelback 2" x 6"



Olive 2" x 6"

Hexagon



Puro Blanco 3 3/8" x 4"



Perlato 3 3/8" x 4"

Hexagon is sold in full box quantity at 5.86SF per box (80 pieces)

Elongated Hexagon



Puro Blanco 2" x 4"



Perlato 2" x 4"

Elongated Hexagon is sold in full box quantity at 3.611SF per box (130 pieces)

Octagon



Perlato 4"



Carbon 4"

Octagon color and dot color can be mixed and matched to create unique and custom combinations!



Puro Blanco 4"



Natural 4"

Octagon 4" is sold in increments of 1 full box quantity, totaling at 11.11 SF (100 pieces total) along with 1 box of color dots of choice (110 pcs). Dots can not be sold without the field and are not subject to exchange once shipped. Dots are only returnable with Octagon field tile per our return policy.

Dots



Puro Blanco



Perlato



Acqua



Turquesa



Sage



Carbon

Fish Scale



Puro Blanco 4" x 4 1/2"



Perlato 4" x 4 1/2"

Fish Scale is sold in full box quantity at 4.94 SF per box (80 pieces)

Star & Cross



Star: Puro Blanco 3" x 3"
Cross: Natural (Clay) 3" x 4 1/2"



Star: Puro Blanco 3" x 3"
Cross: Perlato 3" x 4 1/2"

Star & Cross is sold in increments of 9.684 SF which includes 1 box of star & 1 box of cross. Each is available in Puro Blanco, Perlato or Natural (Clay) colors & can be mixed & matched to your liking.

Field Mosaics



Puro Blanco 2" x 2"
Mounted on a 12" x 10" mesh



Sage 2" x 2"
Mounted on a 12" x 10" mesh

2" x 2" Field and Specialty Mosaics are packed 10 sheets/box



Perlato 2" x 2"
Mounted on a 12" x 10" mesh

Specialty Mosaics



Leila
1" Puro Blanco Hex w/ Natural Star
Mounted on a 12" x 10" mesh



Material Facts

ZELLIGE is a glazed and single fired clay tile (terra cotta). Its production has not changed much from how they were being produced around the early 10th century. ZELLIGE's glorification and second coming to the contemporary design world owes itself to the growing interest in the design principle of cohesion through natural imperfection. One piece may represent nothing, but with different individual characteristics of ZELLIGE tiles, they form a unique space offering character to the discerning eye. The huge popularity of ZELLIGE tiles today can also be attributed to the handcraft movement going on in our modern world. The desire to coinhabit spaces with items built by hand and passion with organic raw materials, is prevalent today. Made in Morocco

Characteristics

Applications: Interior walls, exterior walls, residential floors(light traffic and where there are no heavy furniture that might crack the tile), wet areas.

Care: Housekeep clean with nonabrasive, neutral detergent or mild soapy water on a regular basis. Allow adequate ventilation in wet areas to let material dry.

Installation

It is imperative that all tiles, right out of the box, be laid out first, dry, and arranged to the buyers taste. Given the very traditional methods of production, such as hand forming, hand cutting, hand glazing, wood chip firing as well as the impurities in raw clay soil, one should anticipate each tile to have minor "defects", which, taken in isolation, may seem unacceptable but contribute to the overall appearance. This appearance could be crazing, chipping and pitting. There is no square calibration since the tiles are hand-cut.

There is no reason to sort the zelliges so as only to use the "perfect tiles". Chips or breakages of more than 1/2 square inch has to be tolerated. Based on your tolerance level, order 15-20% extra or more to point out to your contractor your selection. We do not support this recommendation as we are envying the product in its pure state, however mentioning it for those who may be concerned with the imperfection.

Butt Joint installation is recommended, however tiles will not line up perfectly, In this case it is important use "Wedge" spacers to leave a bit of gap less than 1/16". We do not recommend larger grout joints for aesthetics. Use a high-bond property thinset or mortar in white color. The substrate must be flat and clean. The grout color must match the glaze. Any cavities, unglazed points can be patched up with grout. Non-sanded grout only . For wet areas, Zellige can be installed in wet areas, provided that: Any waterproofing on substrate should be done prior with great detail. Include any additives to water proof the grout for wet area usage. Use an impregnating type sealer to seal and waterproof the natural impurities on the glazed surface , then apply a coat of surface sealer. Allow ventilation in the wet area in between each usage. Repeat the impregnating sealer sealing once a year due to the constant exposure to water and more often so in a steam shower environment.